PLEASE KEEP ME CLEAN ALSO DO NOT DEFACE OR MUTILATE ME

043 5EE 15269

KINEMATIC STUDIES OF EXTENDED ASTRONOMICAL OBJECTS

पुस्तकालय THE LIBRARY

भागित प्राणिताला

PHYSICAL AL ORATORY

नवरंगपुरा, AL ORATORY

MAYRANGPURA, AHMEDABAD-20000.

भागारा INDIA

A thesis submitted to the M. S. University of Baroda for the degree of Doctor of Philosophy in Physics

P.Seema
Physical Research Laboratory
Ahmedabad 380009
India

JULY 1994

043



VELOCITY FIELDS IN HII REGIONS USING HIGH RESOLUTION IMAGING FABRY-PÉROT SPECTROMETER

CERTIFICATE

I Declare that the works presented in this thesis are original and has not formed the basis for the award of any degree or diploma by any University or Institution.

P.Seema
(Author)

Certified by

Prof.B.G.Anandarao

(Guide)

Physical Research Laboratory,

Ahmedabad, India.

Dr. M. S. Shah (Co Guide) Department of Physics M. S. University of Baroda Baroda, India. To see a world in a grain of sand,

And heaven in a wild flower:

Hold infinity in the palm of your hand,

And eternity in an hour.

-Blake

Dedicated to my beloved mother
Bhaiyya, Abhaya, Vikas
&
in profound memory of my father

ACKNOWLEDGEMENTS

I take this opportunity to thank all the people who have directly or indirectly

contributed to my thesis.

First of all, I express my sincere thanks to Prof. B.G. Anandarao under whose guidance this thesis work has been carried out. It was his ever encouraging attitude and patience that kept me going on at each stage. I have learnt a lot from his vast experience and depth of knowledge. I always admired his ability to express things in a simple form. His sincerety and dedication for work has always been a source of inspiration for me. I am indebted to him for his personnal kindness to me at every stage and the moral support specially at the last stages of the thesis.

I am profoundly thankful to Dr. (Miss) Madhuben Shah who has helped me

in different phases of my thesis work.

It has been a valuable experience to be associated with Prof. J.N.Dcsai. I am grateful for his fruitful comments and suggestions during my assessment reviews. I thank Prof. M.R.Despande for various discussions.

I thank Prof's. R.K. Varma, R.Raghavarao and B.H.Subbaraya for show-

ing interest in my work.

I accord my gratitude to Dr.U.C.Joshi for taking personnel interest in my work and making useful suggestions. It is a pleasure to acknowledge Dr. T.Chandrasekhar and Dr. N.M.Ashok for always been kind and helpful.

I am grateful to Dr.D.P.K.Banerjee for the innumerable discussions I had with him. I express my sincere thanks to him for his help during the observational work of the thesis and also for critically going through the manuscript and making useful suggestions.

I am grateful to Dr.Shishir Deshpande for his enthusiastic help in solving computational problems. I thank Dr.Harish Chandra, Dr.H.O. Vats and

Dr.Shyamlal for their help and interest in my work.

I have no words to thank Sam Ragland for not only being the nice person he has always been, but streching his help at every stage. I specially thank him for his invaluable help and all the moral support during the last stages of my thesis work. It will be a memorable experience to have been associated with him.

I had always been benefited by Dr. Sai Iyer's expertise in computer soft-

wares and thank him for being kind enough to make his PC available during

the final stages of the work.

I acknowledge Mr. H.I.Pandya's computational assistance during the development of the softwares for the data analysis with full enthusiam and cooperation. I also thank Mrs. S.K.Jani and Mr. A.H.Desai for their kind help. I express my thanks to the electronics ${\mathfrak E}$ engineering staff of the infrared group. Mr.N.S.Jog., Mr.R.T.Patel, Mr. K.S.B.Manian, Mr. F.M.Pathan and Mr.R.K.Mahadkar need special mention. I thank Mr. V.C.Mathews and Mrs. Karanjgaonkar for typographical help.

I am personnally grateful to the PRL workshop and in particular Mr.P.S. Panchal, Mr. J.A. Panchal and Mr.A. Panchal for their sincere efforts and devotion in the fabrication of the mechanical components of Imaging Fabry-Perot spectrometer. I am grateful to the computer center staff and library staff for their cooperation. I thank Mr. D.R.Ranpura of photographic section for the prompt delivery of the photographic prints as and when required.

I express my thanks to Mr.Poulose for his kind help in typing some part of the thesis. I thank my collegues Abhijeet Chakraborty, Watson, and Muttu Mariappan for their help and cooperation. I am grateful to Venkataramani

for the innumerable help provided by him at different stages.

My all the friends at PRL hostel need to be thanked for keeping me cheerful with their company. The association and friendship with Supriyo Chakarborty, Krishan, Gurubaran, Ganguly, Nandita Srivastava, Subrat Sarangi, Jerri, Pallamraju, Prahlad, Manoj, Debashish Majumdar, Himadri, Varun, Tarun, Somesh, Ramachandran, Lambodar mishra, Sushma, Mitakshi, Anshu, Shikha, Manish Naja, Gopal, Gautam, Prabir Patro, Biswa, Santanam, will ever be memorable. I would like to thank Kamesh & family, Dr. Haider & family for their warm hospitality.

I acknowledge the affection and care given to me by my friends Gu-

ruprasad and Nishta.

It is the moral support and encouragement of my mother and brothers that kept me going on. I thank my bhabhi for her encouraging letters during the hard times.

Finally, I thank with love my husband, Mac (Dr.S.M.Ahmed), who has been an ideal and source of inspiration for me throughout. Being in the same field gave me an opportunity to discuss and learn a lot from him. It was he, who was always there to share my moments of agony and I owe my gratitude to him for the successful completion of the thesis.

STATEMENT

The work contained in this thesis has been carried out at the Physical Research Laboratory, Ahmedabad under the guidance of Prof.B.G.Anandarao. The work done for the thesis consists of two aspects: (i) instrumentation and (ii) Observations of HII regions and their interpretation. The Imaging Fabry Pérot spectrometer (IFPS) has been designed and built at PRL. A major part of the funds for this work was granted by the DST. The observations of the two HII regions for the thesis work have been made at Gurushikhar observatory, Mt Abu. The thesis is divided into six chapters.

Chapter I contains an overview of HII regions. The introduction, evolution and definition of important physical parameters is discussed. The significance of kinematic studies of the HII regions and the aim and the scope of the present studies are stated in this chapter.

Chapter II is concentrated on the details of the instrument developed to carry out the present work. The author describes here, the design, fabrication and performance of high resolution piezo-scanned Imaging Fabry-Perot Spectrometer and the reasoning for the selection of the present instrument. A brief description of Fabry-Pérot Spectrometer is given. This chapter also provides a brief introduction to different types of detectors used for astronomical observations discussing their merits and demerits. A comparison of their characteristic properties is also given.

Chapter III gives the details of the observations made and the method of analysis. Data reduction softwares developed for the extraction of the kinematic information are discussed here. An estimate of the errors involved in observations and data analysis is given.

Chapter IV presents the kinemaics of the nearest HII region, the Orion nebula and the results obtained from the present analysis. The importance of the new results obtained is discussed and comparison with earlier results is made. Velocity field across the important features viz bar ionization front, dark bay and the molecular cloud regions is detailed. Velocity field structure across the bar ionization front is obtained for the first time. Certain high veocity flows are found across the nebula, which seem to be new and do not correspond to any of the earlier detected peculiar objects like knots, jets and HH objects. A jet like feature about 1.5 arc min north-west of the trapezium stars is found. Possible interpretation is given for the existence of such features. Iso-velocity contour map is generated and a comparison is made with maps at infrared and radio wavelenghts. A synthetic profile is generated at a particular position on the nebula and compared with the observed profile.

In chapter V, studies on another HII region Trifid Nebula are discussed. This provides complimentary studies to those on Orion nebula in order to check the proposed models on HII regions. An iso-velocity contour map is generated for Trifid nebula. A jet like feature arc min SE of the ionizing star is observed.

Chapter VI is the concluding chapter which summarizes the important results obtained from the present analysis and scope for future studies.

Contents

1	AN	INTRODUCTION TO HII REGIONS 1					
	1.1	Definition of an HII Region	3				
	1.2	Strömgren radius	4				
	1.3	Emission Measure	7				
	1.4	Stratification of ionization	8				
	1.5	Ionization processes in HII regions	8				
	1.6	Evolution of HII region	11				
	1.7	Emission line spectrum in a diffuse nebula	14				
		1.7.1 Continuum emission	15				
			17				
	1.8	Determination of temperature in the nebulae	18				
	1.9	Shock waves in the Interstellar Medium	19				
		_ · · · ·	21 22				
		0 Ionization front					
		11 Jets and Herbig-Haro (HH) objects					
	1.12		26				
			27				
			28				
			30				
	1.13	1 0	32				
		1	3.2				
			32				
		1 0	33				
			36				
	1.14	Motivation for the present work	38				
	1.15	Aim and scope of the present study	39				

4			AGING FABRY-PEROT SPECTROMETER			
	•	FPS)	40			
	2.1		ry and Definition of FPS 42			
		2.1.1	Merits			
		2.1.2	De-merits			
	2.2	Desig	n and Fabrication of IFPS 48			
		2.2.1	Choice of the étalon parameters			
		2.2.2	Optical system			
		2.2.3	Scanning the IFPS			
		2.2.4	Interference filters			
	2.3	Detec	tors			
		2.3.1	Introduction to Imaging Photon Detector (IPD) 58			
	2.4	$\operatorname{Imag}_{\epsilon}$	e data Acquisition System			
	2.5	Instructure	ment Performance			
3			ATIONS AND DATA ANALYSIS 78			
	3.1	Obser	vations			
		3.1.1	Orion Nebula			
	0.0	$\frac{3.1.2}{-}$	Trifid Nebula			
	3.2	Data	analysis of the FP interferogram images 84			
		3.2.1	Smoothing the data			
		3.2.2	Calibration			
		3.2.3	Determination of line of sight or radial velocities 88			
		3.2.4	Errors in data reduction 90			
4	VE	LOCIT	V FIFTD CUDICULIDE IN			
-	THE ODION MEDIUA					
	4.1	o de la companya de				
	The state of the orion hebita					
	1.4	4.2.1	studies			
		4.2.1	Kinematics			
	4.3		Turbulence			
			t studies			
	4.4 General velocity now		Two company and a			
		4.4.1 $4.4.2$	Two components			
		4.4.2 $4.4.3$	Discussion			
			Champagne flow			
		4.4.4	Model Profile			

		4.4.5 Axisymmetry
		4.4.6 Velocity flow around θ^2 Ori
		4.4.7 The Orion dark bay
	4.5	High Velocity Flows
		4.5.1 Around identified stellar sources 122
		4.5.2 Around protostellar sources
		4.5.3 The molecular cloud region
	4.6	The bar ionization front
		4.6.1 Velocity field around the bar ionization front 131
		4.6.2 Width of the shock front
		4.6.3 Ionization mechanism at the shock front 135
	4.7	Turbulence
		4.7.1 Distribution of radial velocities
		4.7.2 Structure function
5	VE.	LOCITY FIELD STRUCTURE IN
J	E TRIFID NEBULA 153	
	5.1	Introduction
	5.2	Earlier studies
	5.3	Present studies
	5.4	General velocity field
		5.4.1 About two arc minutes around the central star HD
		164492
		5.4.2 Peculiar velocity flow
	5.5	Comparison of the velocity field structures of the Trifid and
		the Orion nebulae
	CITI	AND AND CONCINCTONS
		MMARY AND CONCLUSIONS 164
	6.1	The Instrumentation
	6.2	Observations and results on the kinematics of HII regions 165
		6.2.1 Orion Nebula
	6.3	6.2.2 Trifid nebula
	0.0	Scope for future work
RI	EFEI	RENCES 173