

**GEOCHEMICAL AND ISOTOPIC STUDIES OF
SOME SEDIMENTARY SEQUENCES OF THE
VINDHYAN SUPERGROUP, INDIA**

A Thesis submitted to

THE MAHARAJA SAYAJIRAO UNIVERSITY OF BARODA

For


THE DEGREE OF DOCTOR OF PHILOSOPHY

In

Geology


By

ANIL DUTT SHUKLA



Physical Research Laboratory
Ahmedabad 380009
India

August, 2011



Dedicated to my parents and family



DECLARATION

This is to certify that the contents of this thesis comprise original research work of the candidate and have at no time been submitted for any other degree or diploma.



Anil Dutt Shukla
(Candidate)

Certified by:

Jyotirmay S. Ray
Dr. J. S. Ray
(Guide)
Physical Research Laboratory
Ahmedabad 380 009, India



Prof. L. S. Chamyal
(Co-Guide)
M. S. University of Baroda
Vadodara 390 002, India



Head
Department of Geology
Faculty of Science
M. S. University of Baroda
Vadodara 390 002, India



CONTENTS

List of Tables	iii
List of Figures	iv
Acknowledgements	vi
CHAPTER 1 Introduction	1-15
1.1 Proterozoic time on the Earth	3
1.2 The Proterozoic Basins of India	6
1.3 Aims of the present investigation	13
1.4 The structure of the Thesis	14
CHAPTER 2 Geological Framework and Analytical Methods	16-65
2.1 Geological Framework	16
2.1.1 General description of the Vindhyan Super group	16
2.1.2 Lithostratigraphy of the Vindhyan	20
2.1.2.1 Vindhyan of the Son Valley	20
2.1.2.2 Vindhyan of Rajasthan	24
2.1.3 Biostratigraphy of the Vindhyan	25
2.1.4 Geochronology in the Vindhyan	30
2.2 Field Relationship and sampling	33
2.2.1 Field relationships	33
2.2.2 Sampling strategy and sample details	41
2.3 Experimental Methods	52
2.3.1 Petrography	52
2.3.2 Major element analysis	53
2.3.3 Loss on Ignition (LOI) analysis	54
2.3.4 Analysis of Trace elements including Rare Earth Elements (REE)	57
2.3.5 Analysis of Radiogenic isotope ratios	61
2.3.6 Stable C and O isotopic ratio analysis	64
2.3.7 Detrital zircon geochronology	65

CHAPTER	3	Results and Discussion	66-161
3.1	Results	66	
3.1.1	Geochemical Data	66	
3.1.2	U-Pb analytical data for detrital zircons	68	
3.1.3	$\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ data from limestones	68	
3.1.4	$^{87}\text{Sr}/^{86}\text{Sr}$ data from limestones	69	
3.2	Discussion	94	
3.2.1	Pre-Vindhyan rocks	94	
3.2.1.1.	The Berach Granites	94	
3.2.1.2.	Mafic igneous rocks	96	
3.2.2	Vindhyan Sedimentary Sequences	101	
3.2.2.1	Petrography of sandstones	103	
3.2.2.2	Clues from Major elements	105	
3.2.2.3	Clues from Trace elements	111	
3.2.2.4	The Radiogenic isotope studies	129	
3.2.3	Geochronological Studies	143	
3.2.3.1	Detrital Zircon Geochronology of the Sawa Sandstone (Lower Vindhya)	143	
3.2.3.2	Nd model ages (T_{DM})	145	
3.2.3.3	Sr-isotope Stratigraphy (Upper Vindhya)	145	
3.2.4	Provenance of the Vindhyan Sediments	147	
3.2.5	$\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ variations in limestones	153	
3.2.5.1	The Lakeri Limestone	154	
3.2.5.2	The Balwan Limestone	156	
3.2.6	Evolution of the Vindhyan Basin in Rajasthan	159	
CHAPTER	4	Summary and Conclusions	162-165
References			166-178

List of Tables	Page no.
1.1 Major events of the world and India observed during the Proterozoic Eon.	5
2.1 The stratigraphic classification of the Vindhyan Supergroup (after Bhattacharyya 1996).	26
2.2 The fossil evidences with age connotation in the Vindhyan.	28
2.3 Radiometric Age data for the Vindhyan Super group.	32
2.4 Samples collected from the Vindhyan formations and pre-Vindhyan rocks exposed in Chittorgarh district.	44-46
2.5 Samples collected from the Vindhyan formations exposed in Bundi District.	47-48
2.6 Samples from the Balwan Limestone Formation near Lakheri town in Bundi district.	49-51
2.7 International rock standards used in various analytical techniques during the generation of major and trace elements data.	55
2.8 A comparison of measured and reported concentrations for various elements in SCO-1 standard.	56
2.9 Measured trace element concentrations in BHVO-2 compared with their reported values.	60
2.10 The dissolution procedure for silicate rocks.	61
2.11 Protocol for Sr and REE separation from sample solution.	62
2.12 Protocol for Nd separation from rest of the REE.	62
2.13 Protocol for Sr-separation using Sr-specific resin column chemistry.	63
3.1 Geochemical data for Pre-Vindhyan rocks and basal volcanics of the Vindhyan near Chittorgarh.	70
3.2 Geochemical data for samples from various formations of the Semri Group.	71-75
3.3 Geochemical data for samples from the Kaimur Group.	76
3.4 Geochemical data for samples from various formations of the Rewa Group.	77-79
3.5 Geochemical data for samples from various formations of the Bhander Group.	80-86
3.6 U-Pb Analytical data for detrital zircons from the Sawa Sandstone, Bojunda, and Chittorgarh.	87-89
3.7 $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ of the international standard NBS-19 and the local standard MMB.	90
3.8 C and O isotopic compositions in samples from Lakheri Limestone.	90
3.9 C and O isotopic compositions in samples of Balwan Limestone.	91-92
3.10 Trace element data for selected samples from the Balwan Limestone.	92
3.11 Sr isotopic ratio data for carbonate components from limestone formations of the Upper Vindhyan.	93

List of Figures	Page No.
1.1 The Proterozoic (Purana) Basins of Indian shield along with major tectonic and geological features.	8
1.2 Apparent Polar Wandering Pole (APWP) for India with reliable Proterozoic poles. Poles are from Harohalli Dikes, the Majhgawan kimberlite, the Malani Igneous Suite and the Vindhyan Basin.	11
2.1 The geological map of the Vindhyan Supergroup.	21
2.2 Stratigraphic logs for the Vindhyan Supergroup in Rajasthan and in the Son Valley.	27
2.3 The geological map of the Chittorgarh district and sampling sites.	36
2.4 Geological map of the Vindhyan in the Bundi-Lakheri sector and sampling sites.	37
2.5 Detailed geological map around Chittorgarh.	38
2.6 East dipping beds of the Nimbahera Limestone at Chittorgarh.	39
2.7 Outcrop of the Berach Granite exposed along the banks of the Berach River near Chittorgarh.	39
2.8 Complexly folded Nimbahera Shale Formation along the Great Boundary Fault Zone at Chittorgarh.	40
2.9 A fault within the Upper Vindhyan at Khatgarh that cut across the GBF at an angle.	40
2.10 Folding in the Lakheri Limestone near Gandoli Village on the Bundi-Indergarh road.	41
2.11 Detailed map of the Lakheri-Indergarh area.	42
2.12 Typical Calibration curves in XRF method.	58
2.13 Typical calibration curves in ICPMS method.	59
3.1 Chondrite normalized REE patterns for various pre-Vindhyan granites and mafic igneous rocks.	97
3.2 Primitive mantle normalized multi-element content variations in pre-Vindhyan granites and mafic igneous rocks.	98
3.3 Total Alkali-Silica diagram and classification of the Khairmalia volcanics.	99
3.4 Photomicrographs of thin sections of Lower Vindhyan sandstones under crossed polars.	104
3.5 Photomicrographs of thin sections of Upper Vindhyan sandstones under crossed polars.	106
3.6 Chemical classification of shale and sandstone formations of various groups of Rajasthan Vindhyan using the scheme of Heron (1988).	107
3.7 Shales and sandstones from the Lower Vindhyan (Semri Group) plotted on A-CN-K diagram of Nesbit & Young (1982).	109
3.8 Shales and sandstones from the Upper Vindhyan plotted on A-CN-K diagram of Nesbit & Young (1982).	109
3.9 Al_2O_3 - K_2O - Fe_2O_3 diagram for the shales from the Vindhyan of Rajasthan.	110
3.10 TiO_2 vs. Al_2O_3 plot of McLennan et al. (1980) for sedimentary rocks on which data from the Vindhyan sediments of Rajasthan are plotted.	110
3.11 Chondrite normalized REE patterns of shales from the Vindhyan of Rajasthan.	114
3.12 Chondrite normalized REE patterns of sandstones from Vindhyan of Rajasthan.	115
3.13 PAAS normalized REE patterns for shale formations of the Vindhyan Supergroup, Rajasthan	116
3.14 PAAS normalized REE patterns for sandstone formations of the Vindhyan Supergroup, Rajasthan	117
3.15 Primitive mantle normalized multi element spiderograms for the Vindhyan shales.	118
3.16 PAAS normalized multi-element spiderograms for the Vindhyan Shales.	119
3.17 PM normalized multi-element spiderograms for the Vindhyan sandstones.	120

3.18	PAAS normalized multi-element spiderograms for Vindhyan sandstones.	121
3.19	Chondrite normalized REE patterns for carbonate (C) and silicate (S) fractions of limestone/dolostones of the Vindhyan of Rajasthan.	122
3.20	The PM normalized multi-element spiderograms for carbonate (C) and silicate (S) fractions of the carbonate formations of the Vindhyan of Rajasthan.	123
3.21	Nb/Ta vs. Zr/Sm variation in Vindhyan sediments and pre-Vindhyan mafic igneous rocks, Berach Granite and Jungel volcanics.	126
3.22	Ce/Pb versus Ce in Vindhyan sediments from various sectors of the basin.	127
3.23	Chondrite normalized La/Yb versus Yb/Gd plot for Vindhyan sediments superimposed on model curves for mixing between three end members.	127
3.24	La/Th and Th/Yb profiles along the stratigraphical column of the Vindhyan Supergroup, Rajasthan.	128
3.25	Histograms showing frequency distribution of $^{87}\text{Sr}/^{86}\text{Sr}$ ratios in the Upper Vindhyan (A) and the Lower Vindhyan (B) of Rajasthan.	130
3.26	Histograms showing frequency distributions $\epsilon_{\text{Nd}}(0)$ in the Vindhyan of Rajasthan (A) and the Son Valley (B).	132
3.27	Histograms showing frequency distributions $\epsilon_{\text{Nd}}(0)$ in the Lower Vindhyan formations of Rajasthan (A) and the Son Valley (B).	133
3.28	Frequency distributions diagram for $\epsilon_{\text{Nd}}(T)$ in the Upper Vindhyan (A) and the Lower Vindhyan (B) of Rajasthan.	136
3.29	T_{DM} frequency distributions in the formations of the Upper Vindhyan (A) and the Lower Vindhyan (B) of Rajasthan.	139
3.30	Histograms showing T_{DM} distributions in the Vindhyan of Rajasthan (A) and the Son Valley (B).	140
3.31	The variation of the average values of the $\epsilon_{\text{Nd}}(0)$, $\epsilon_{\text{Nd}}(T)$ and T_{DM} across the stratigraphical column and the basin.	141
3.32	Histogram showing distribution of $^{207}\text{Pb}-^{206}\text{Pb}$ ages for detrital zircons from the Sawa Formation, Semri Group, Chittorgarh.	144
3.33	Geochronological correlation between Rajasthan and the Son Valley Vindhyan based on the present work.	149
3.34	Plots of $f_{\text{Sm/Nd}}$ vs. $\epsilon_{\text{Nd}}(0)$ (A) and $\epsilon_{\text{Nd}}(0)$ vs. T_{DM} (B) showing data for sediments from the Lower and the Upper Vindhyan, pre-Vindhyan mafic igneous rocks, Berach Granite and volcanics from Aravalli Supergroup.	150
3.35	Variation of various geochemical proxies across the stratigraphical column in the Vindhyan Supergroup of Rajasthan.	151
3.36	A schematic of the Vindhyan Basin during the deposition of the Vindhyan Supergroup and the inferred provenances of sediments.	152
3.37	$\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ profiles in the Lakheri Limestone at Gandoli on the Bundi-Indergarh Road.	155
3.38	$\delta^{13}\text{C}$ vs. $\delta^{18}\text{O}$ of carbonate components from the Balwan Limestone.	157
3.39	Mn/Sr vs. $\delta^{18}\text{O}$ in carbonate components from the Balwan Limestone.	157
3.40	$\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ profiles across the Balwan Limestone near Lakheri Town, Bundi, Rajasthan.	158
3.41	A schematic diagram of our proposed evolutionary model for the Vindhyan Basin in Rajasthan.	161

Acknowledgements

I would like to express my gratitude for the inspirations, the support and the help I have got from various persons during the present thesis work, which could have not been possible in the present form. First of all I would like to thank and be indebted for the great amount of encouragements and invaluable support from my supervisor and friend Prof. J. S. Ray, whose consistent pursuance, perseverance and guidance has made this possible. His invaluable suggestions and critical views helped me in enhancing the quality of this work. I would like to pay my high regards and gratitude to Prof. L. S. Chamyal, a teacher, and a true gentleman, for his generosity and always available for any kind of help, suggestions and guidance whenever I have asked for.


I would be highly grateful to Prof. J. N. Goswami, Director, PRL, for his kind support and encouragements and help for completing this work whenever required. I will be highly indebted to Prof. N. Bhandari and Dr. P. N. Shukla, for their kind support and guidance which have taught me the various aspects of research during my association which have shown the intricacies of this sphere of life. I would also like to thank Profs. S. Krishnaswami, A. K. Singhvi, S. V. S. Murty, M. M. Sarin, R. Ramesh, S. K. Singh, D. Banerjee for their suggestions, support and encouragement.

The invaluable scientific discussions and continuous encouragement from my senior and big-brother Dr. N. Juyal were highly refreshing during the course of study for which I am really obliged. Dr. R. Bhushan's witty comments and continuous encouragement are accredited which have helped me a lot in working out the thesis. I accord special thanks to Dr. S. Ramachandran, for his kind and sincere help. My other seniors, colleagues & friends, Drs. M. G. Yadav, R. D. Deshpande, R. Rengarajan, D. Chakraborty, V. Sheel, S. K. Sharma, S. Ganesh, Kuljeet K. Marhas, V. K. Rai, Mr. Deepak Panda, Mr. K. Dugraprasad, Mr. R. P. Singh, and Mr. Sudheer, Raoji, Pranav and Janiji, are highly appreciated for all their kind help, support and encouragement I got through out the research work. The selfless attitude of J. P. Bhavsar is very much acknowledged who is always ready for help. The students of the Geosciences Division: Alok Kumar, Neeraj Awasthi s help are refreshing & accredited which were always there whenever I have asked during the work and Rehman, Gyanranjan, Vineet, Amzad, Gaurav and Debasish are also acknowledged for their help and support. I would also like to thank to the other members and colleagues of the Geosciences and Planetary Sciences Divisions for their help whenever I have asked. The Computational facility, Workshop, Services, Purchase and Administration people of PRL are acknowledged for their help and support and will be grateful.

I dedicate my thesis to my beloved family and my parents who always stood by me during my thin & thick days. Dipti (wife) has been a source of inspiration with her support and love at home and in my professional work, for which I will be highly obliged. Shivangi and Saanvi my beautiful daughters remain always my source of strength with their cheerful actions, love and affection. I would like to thank my mother and father for providing all their help and support for everything I wanted do in life. I shall remain grateful to my younger brother Anoop and my sisters Anita and Sunita for their love and affection. The kind support and encouragement from my in-laws is also acknowledged. And at the last I would like to thank everybody who has interacted with me during this work.

(Anil Dutt Shukla)

REFERENCES



- Abbey S. (1983) Studies in "Standard Samples" of Silicate Rocks and Minerals 1969-1982, *Canadian Geological Survey paper* 83-15, p-114.
- Acharyya S. K. (2003) The nature of Mesoproterozoic Central Indian tectonic zone with exhumed and reworked older sediments, *Gond. Res.* 6, 197-214.
- Ahmad T., Deb M., Tarney J. and Raza M. (2008a) Proterozoic mafic volcanism in the Aravalli-Delhi Orogen, Northwestern India: Geochemistry and tectonic framework, *Jour. Geol. Soc. India* 72, 93-111.
- Ahmad T., Dragusanu C. and Tanaka T. (2008b) Provenance of Late Archean Aravalli mafic rocks from Rajasthan, Northwestern India: Nd isotopes, evidence for enriched mantle reservoirs, *Precam. Res.* 162, 150-159.
- Anbarasu K. (2001) Acritarch from Mesoproterozoic Chitrakoot Formation, Semri group, Chitrakoot Area, Central India, *Jour. Geol. Soc. India* 57, 179-183.
- Andersen C. B. and Samson S. D. (1995) Temporal changes in Nd isotopic composition of sedimentary rocks in the Sevier and Taconic foreland basins: Increasing influence of juvenile sources, *Geology* 23, 983-986.
- Azmi R. J., Joshi D., Tiwari B. N., Joshi M. N., Mohan K. and Srivastava S. S. (2006) Age of the Vindhyan Supergroup of Central India: An exposition of biochronology vs. radiochronology, In: *Micropalaeontology: Application in Stratigraphy and Palaeoceanography* (Ed. D.K. Sinha), Narosa Publishing House, New Delhi, India, 29-62.
- Azmi, R. J. (1998) Discovery of Lower Cambrian Small Shelly Fossils and Brachiopods from the Lower Vindhyan of Son Valley, Central India, *Jour. Geol. Soc. of India* 52, 381-389.
- Banerjee A. and Banerjee D. M. (2010) Modal analysis and geochemistry of two sandstones of the Bhander Group (Late Neoproterozoic) in parts of the Central Indian Vindhyan basin and their bearing on the provenance and tectonics, *J. Earth Syst. Sci.* 119, 825-839.
- Banerjee A. K. and Singh H. J. M. (1981) Paleogeography and sedimentation of Vindhyan in eastern Rajasthan, *Misc. Publ. Geol. Surv. India* 50, 89-94.
- Banerjee I. (1974) Barrier coastline sedimentation model and Vindhyan example, *Geol. Min. Metal. Soc. India* 46, 101-127.
- Basu A. R., Sharma M. and DeCelles P. G. (1990) Nd, Sr-isotopic provenance and trace element geochemistry of Amazonian Foreland Basin Fluvial Sands, Bolivia and Peru: implications for Eنسialic Andean Orogeny, *Earth Planet. Sci. Lett.* 105, 149-169.
- Bengtson S., Belivanova V., Rasmussen B. and Whitehouse M. (2009) The controversial "Cambrian" fossils of the Vindhyan are real but more than a billion years older, *Proc. National Acad. Sci.* 106, 7729-7734.
- Berner R. A. and R. Raiswell (1983) Burial of organic carbon and pyrite sulphur in sediments over Phanerozoic time: A new theory, *Geochim. Cosmochim. Acta* 47, 855-862.

- Bhatia M. R. (1983) Plate Tectonics and geochemical composition of sandstone, *J. Geology* 91, 611-627.
- Bhatia M. R. and Crook K. A. W. (1986) Trace element characteristics of graywackes and tectonic discrimination of sedimentary basins, *Contrib. Mineral. Petrol.* 92, 181-193.
- Bhattacharyya A. (1996) *Recent advances in Vindhyan Geology*, Mem. Geol. Soc. India 36, 331p.
- Blatt H. (1985) Provenance studies and mudrocks, *Jour. Sedi. Petrol.* 55, 69-75.
- Bock B., McLennan S. M. and Hanson G. N. (1994) Rare earth element redistribution and its effects on the neodymium isotope system in the Austin Glen Member of the Normanskill Formation, New York, USA, *Geochim. Cosmochim. Acta* 58, 5245-5253.
- Bose P. K., Banerjee S. and Sarkar S. (1997) Slope-controlled seismic deformation and tectonic framework of deposition, Koldaha Shale, India. *Tectonophysics* 269, 151-169
- Bose P.K., Sarkar S., Chakraborty S. and Banerjee S. (2001) Overview of the Meso-to-Neoproterozoic evolution of the Vindhyan basin, central India. *Sedimentary Geology* 141-142, 395-419.
- Burke W.H., Denison R.E., Hetherington E.A., Koepnick R.B., Nelson H.F. and Otto, J.B. (1982) Variation of seawater $^{87}\text{Sr}/^{86}\text{Sr}$ throughout Phanerozoic time, *Geology* 10, 516-519.
- Catling D.C., and Claire M.W. (2005) How Earth's atmosphere evolved to an oxic state: A status report, *Earth Planet. Sci. Lett.* 237, 1-20.
- Chakrabarti R., Basu A.R. and Chakrabarti A. (2007) Trace element and Nd-isotopic for sediment sources in the mid-Proterozoic Vindhyan Basin, central India, *Precam. Res.* 159, 260-274.
- Chakraborty C. (2006) Proterozoic intracontinental basin: The Vindhyan example. *J. Earth Sys. Sci.* 115(1), 3-22.
- Chakraborty C. and Bhattacharyya A. (1996) The Vindhyan Basin: An overview in the light of current perspectives, *Mem. Geol. Soc. India* 36, 301-312.
- Chakraborty P. P., Dey S. and Mohanti S. P. (2010) Proterozoic platform sequences of Peninsular India: Implications towards basin evolution and supercontinent assembly, *J. Asian Earth Sci.* 39, 589-607.
- Chanda S. K. and Bhattacharyya A. (1982) Vindhyan sedimentation and paleogeography: Post-Auden developments, In K. S. Valdiya, S.B. Bhatia and V. K. Gaur (Eds.) *Geology of Vindhya*, Hindustan Pub. Corp. Delhi, 88-101.
- Condie K. C. (1982) Plate Tectonics and crustal evolution, 2nd edition, Pergamon Press.
- Condie K. C. (1993) Chemical composition and evolution of the Upper continental crust: contrasting results from surface samples and shales, *Chem. Geol.* 104, 1-37.
- Condie K. C. (1991) Another look at rare earth elements in shales, *Geochim. Cosmochim Acta* 55, 2527-2531.
- Crawford, A.R., and Compston, W. (1970) Age of Vindhyan System of peninsular India, *J. Geol. Soc. London* 125, 351-372.
- Daly R. A. (1909) First calcareous fossils and the evolution of limestones, *Geol. Soc. Am. Bull.* 20, 153-170.
- Das L. K., Mishra D. C., Ghosh D. and Banerjee B. (1990) Geomorphotectonics of the basement in a part of upper Son Valley of the Vindhyan Basin, *J. Geol. Soc. India* 35, 445-458.

- De C (2003) Possible organisms similar to Ediacaran forms from the Bhander Group, Vindhyan Supergroup, Late Neoproterozoic of India, *J. Asian Earth Sci.* 21, 387–395.
- De C (2006) Ediacaran Fossil assemblage in the Upper Vindhyan of Central India and its significance, *J. Asian Earth Sci.* 27, 660–683.
- Deb M., Thorpe R. and Krstic D. (2002) Hindoli Group of Rocks in the Eastern Fringe of the Aravalli-Delhi Orogenic Belt-Archean Secondary Greenstone Belt or Proterozoic Supracrustals? *Gond. Res.* 5(4), 879-883.
- DePaolo D. J. and Wasserburg G. J. (1976) Nd isotopic variations and petrogenetic models, *Geophys. Res. Letters* 3, 249-252.
- DePaolo D. J. (1988) Age dependence of the composition of continental crust as determined from Nd isotopic variations in igneous rocks, *Earth Planet. Sci. Lett.* 59, 263-271.
- Des Marais D. J. (1994) The Archean atmosphere: its composition and fate. In: K.D. Condie, Editor, *Archean Crustal Evolution*, Elsevier, Amsterdam (1994), 505–523.
- Dia A., Dupre B., Gariepy C., and Allegre C. J. (1990) Sm-Nd and trace element characterization of shales from the Abitibi Belt, Labrador Trough, and Appalachian Belt: Consequences for crustal evolution through time, *Canad. J. Earth Sci.* 27, 758-766.
- Dickinson W. R. (1970) Interpreting detrital modes of greywacke and arkose, *J. Sediment. Petrol.* 40, 695–707.
- Evans D. A. D. (2000) Stratigraphic, geochronological, and paleomagnetic constraints upon the Neoproterozoic climatic paradox, *Am. J. Sci.* 300, 347-433.
- Evans D. A. D. (2009) The palaeomagnetically viable, long-lived and all-inclusive Rodinia supercontinent reconstruction, In Murphy J. B., Keppie J. D. & Hynes A. J. (eds.) *Ancient Orogens and Modern Analogues*, Geol. Soc. London, Sp. Publ. 327, 371-404.
- Faure G. (1986) *Principles of isotope geology*, 2nd edition, John Wiley & Sons, Singapore, 589p.
- Fedo C. M., Nesbitt H. W. and Young, G. M. (1995) Unraveling the effects of K-metasomatism in sedimentary rocks and paleosols, with implications for paleoweathering conditions and provenance, *Geology* 23, 921–924.
- Fermor L. L. (1930) On the age of the Aravalli Range, *Record Geol. Surv. India*, 62, 391-409.
- Flanagan F.J. (1976) 1972 Compilation of data on USGS, U.S. Geol. Surv. Prof. Paper 840, 131-183.
- Foley S., Tiepolo M. and Vannucci R. (2002) Growth of early continental crust controlled by melting of amphibolite in subduction zones, *Nature*, 417, 837-840.
- Folk R.L. and Ferm J. C. (1966) A portrait of Paul D. Krynine, *J. Sediment. Petrol.* 36, 851- 863.
- Frank T. D., Lyons T. W. and Lohmann K. C. (1997) Isotopic evidence for the paleoenvironmental evolution of the Mesoproterozoic Helena Formation, Belt Supergroup, Montana, USA, *Geochim. Cosmochim. Acta* 61, 5023-504.1
- Friedman I. and O'Neil J. R. (1977) Compilation of stable isotope fractionation factors of geochemical interest, *U.S. Geol. Surv. Prof. Pap.* 440-KK, 49.
- Gao S., Liu X. M., Yuan H. L., Hattendorf B., Gunther D., Chen L. and Hu S. H. (2002) Determination of forty two major and trace elements in USGS and NIST SRM glasses by laser ablation-inductively coupled plasma-mass spectrometry, *Geostand. Newslett.* 26, 181-196.
- Ghosh A. and Bose A. (1950) Microfossils from the Vindhyan, *Science and Culture* 15, 330-331.

- Gladney E. S. and Roelandts I. (1988) 1987 Compilation of Elemental Concentration Data for USGS BHVO-1, MAG-1, QLO-1, RGM-1, SCo-1, SDC-1, SGR-1, and STM-1, *Geostand. Newslett.* 12, 253-362.
- Gleason J. D., Patchett P. J. and Ruiz W. R. D. (1994) Nd isotopes link Ouachita turbidites to Appalachian sources, *Geology* 22, 347-350.
- Gokaran S. G., Rao C. K. and Singh B. P. (1995) Crustal structure in southeast Rajasthan using magneto-telluric technique, *Mem. Geol. Soc. India* 31, 373-383.
- Goldstein S. J. and Jacobsen S. B. (1988) Nd and Sr isotope systematics of river water suspended material: Implications for crustal evolution, *Earth Planet. Sci. Lett.* 87, 249-265.
- Govindaraju K. (1994) 1994 Compilation of Working Values and sample Descriptions for 383 Geostandards, *Geostand. Newslett.* 18, 1-158.
- Graver J. I. and Scott T. J. (1995) Trace elements in shale as indicators of crustal province and terrain accretion in the southern Canadian Cordillera, *Geol. Soc. Am. Bull.* 107, 440-453.
- Gregory L. C. (2008) India in the Proterozoic : two key spatial and temporal constraints, *A MS Thesis University of Florida.* 78p.
- Gupta B. C. (1934) The geology of central Mewar, *Mem. Geol. Surv. India* 65, 107-168.
- Hacket C. A. (1881) On the geology of Aravalli region Central and Eastern Rajputana, *Rec. Geol. Surv. India* 44, 97-102.
- Hall S.M. and Veizer J. (1996) Geochemistry of Precambrian carbonates. VII. Belt Supergroup, Montana and Idaho, USA, *Geochim. Cosmochim. Acta* 60, 667-977.
- Hannigan R. E. and Basu A. R. (1998) late diagenetic trace element remobilization in organic-rich Black Shales of the Taconic Foreland basin Quebec, Ontario and New York, In: Jurgen W. Z. S. and Sethi P. S. (eds.), *Shales and Mudstones II*, 209-233.
- Heron A. M. (1936) Geology of south-eastern Rajputana, *Mem. Geol. Surv. India*, 68, 1-120.
- Herron M. M. (1988) Geochemical classification of terrigenous sands and shales from core or log data, *Jour. of Sed. Pet.* 30, 841-883.
- Hoffman H. J. (2005) Paleoproterozoic dubiofossils from India revisited-Vindhyan *Tripleblastic animal burrows or pseudofossils*, *J. Palaeont. Soc. India*, Golden Jubilee Volume 50(2), 113-120.
- Hoffman P.F., and Schrag D.P. (2002) The snowball Earth hypothesis: testing the limits of global change, *Terra Nova* 14, 129-155.
- Hoffman P.F., Kaufman A.J., Halverson G.P., and Schrag D.P. (1998) A Neoproterozoic snowball earth, *Science*, 281, 1342-1346.
- Holser W.T. (1984) Gradual and abrupt shifts in ocean chemistry during Phanerozoic time. In: Holland, H.D., Trendall, A.F. (Eds.), *Patterns of Change in Earth Evolution*. Springer, Berlin, 123-143.
- Hussain M. F., Mondal M. E. A. and Ahmad T. (2004) Geodynamic evolution and crustal growth of the central Indian Shield: Evidence from geochemistry of gneisses and granitoids, *Proc. Indian Acad. Sci. (Earth Planet. Sci.)* 113(4), 699-714.
- Iqbaluddin, Pasad B., Sharma S. B., Mathur R. K., Gupta S. N. and Sahai T. N. (1978) Genesis of the Great Boundary Fault of Rajasthan, India, *Proc. 3rd Reg. Conf. Geol. Min. Resour. South East Asia*, Bangkok, 145-149.

- Jacobsen S. B. and Kaufman A. J. (1999) The Sr, C and O isotopic evolution of Neoproterozoic seawater, *Chemical Geology* 161, 37-57.
- Jain S. C., Yedekar D. B. and Nair K. K. K. (1991) Central Indian Shear Zone: A major Precambrian crustal boundary, *J. Geol. Soc. India* 37, 521-532.
- Jarvis K. E. (1988) Inductively coupled plasma mass spectrometry; a new technique for the rapid or ultra-trace level determination of the rare-earth elements in geological materials, *Chem. Geol.* 68, 31-39.
- Javaux E. J., Knoll A. H., and Walter M. R. (2001) Morphological and ecological complexity in early eukaryotic ecosystems, *Nature* 412, 66-69.
- Jokhan Ram, Shukla S. N., Pramanik A. G., Varma B. K., Chandra G. and Murthy M. S. N. (1996) Recent Investigations in the Vindhyan Basin: Implications for Basin Tectonics, *Mem. Geol. Soc. India* 36, 267-286.
- Kaila K. L. and Krishna V. G. (1992) Deep Seismic sounding studies in India and major discoveries, *Curr. Sci.*, 62, 117-154.
- Kaila K. L., Murty P. R. K. and Mall D. M. (1989) The evolution of the Vindhyan Basin vis-à-vis the Narmada-Son Lineament, central India, from deep seismic soundings, *Tectonophysics* 162 (3/4), 277-289.
- Kaufman A. J., Corsetti F. A. and Varni M. A. (2007) The effect of atmospheric oxygen on carbon and sulphur isotope anomalies in the Neoproterozoic Johnnie Formation, *Chem. Geol.* 237, 47-63.
- Kent A. J. R., Jacobsen B., Peate D. W., Waught T. E. and Baker J.A. (2004) isotope dilution MC-ICPMS-Ms Rare Earth Element analysis of Geochemical Reference Materials NIST SRM610, NIST SRM 612,NIST SRM614, BHVO-2G,BHVO-2, BCR-2G, JB-2, WS-E, W-2, AGV-1 and AGV-2, *Geostand. Geoanalyt. Res.* 28 (3), 417-429.
- Klootwijk C.T., Nazirullah R. and de Jong K.A. (1986) Paleomagnetic constraints on formation of the Mianwali reentrant, Trans-Indus and western Salt range,Pakistan, *Earth Planet. Sci. Lett.* 80, 394-414.
- Kopp R. E., Kirschvink J. L., Hilburn I. A., and Nash C. Z. (2005) The paleoproterozoic snowball Earth: A climate disaster triggered by the evolution of oxygenic photosynthesis: *Proc. Nat. Acad. Sci. USA* 102, 11131-11136.
- Krishnan M. S. (1968) *Geology of India and Burma*. Tata McGraw Hill Publication, New Delhi.
- Krumbein W. C. and Pettijohn F. J. (1938) *Manual of Sedimentary Petrography*. Appleton-Century-Crofts, New York. 549 pp.
- Kulkarni K. G. and Borakar V. D. (1996) A significant stage of metazoan evolution from the Proterozoic rocks of the Vindhyan Supergroup, *Curr. Sci.* 70, 1096-1100.
- Kumar A., Gopalan K. and Rajgopalan G. (2001) Age of the Lower Vindhyan sediments, Central India. *Curr. Sci.* 81, 806-809.
- Kumar A., Kumari P., Dayal A.M., Murthy D.S.N. and Gopalan K. (1993) Rb-Sr ages of Proterozoic kimberlites of India: evidence for contemporaneous emplacements. *Precam. Res.* 62, 227-237.
- Kumar B. Das sharma S., Sreenivas B., Dayal A. M., Rao M. N., Dubey N and Chawla B. R. (2002) Carbon oxygen and strontium isotope geochemistry of Proterozoic carbonate rocks of the Vindhyan Basin, central India. *Precam. Res.* 113, 43-63.
- Kumar S. (1995) Megafossils from the Mesoproterozoic Rohtas Formation (the Vindhyan Supergroup), Katni area, Central India, *Precam. Res.* 72, 171-184.

- Kumar S. (1999) Siliceous sponge spicule-like forms from the Neoproterozoic Bhander Limestone, Maihar area, Madhya Pradesh. *J. Palaeon. Soc. India* 44, 141-148.
- Kumar S. (2001) Mesoproterozoic megafossils *Chuaria-Tawania* association may represents parts of a multicellular plant, Vindhyan Supergroup, Central India, *Precam. Res.* 106, 187-211.
- Kumar S. and Pandey S. K. (2008) Discovery of organic-walled microbiota from the black-bedded chert, Balwan Limestone, the Bhander Group, Lakhari area, Rajasthan. *Curr. Sci.* 94, 797-800.
- Kumar S., Schidlowski M. and Joachi M. M. (2005) Carbon isotope stratigraphy pf the palaeo-Neoproteroozic Vindhayn Super group, Central India: implications for basin evolution and intrabasinal correlation, *J. Palaeont. Soc. India* 50, 65-81.
- Kumar S. and Srivastava P. (1997) A note on the carbonaceous megafossils from Neoproterozoic Bhander Group, Maihar area, Madhya Pradesh, *Jour. Paleo. Soc. India* 42, 141-146.
- Kumar S. and Srivastava P. (2003) Carbonaceous megafossils from the Neoproterozoic Bhander Group, central India, *Jour. Paleo. Soc. India* 48, 139-154
- Kumar S. and Srivastava P.(1992) Microfossils from the black the chert of Bhagwanpura Limestone (Middle Proterozoic), Vindhyan Supergroup, Chittorgarh area, Rajasthan, West India, *Curr. Sci.* 62, 371-372.
- Kump L. R. and Arthur M. A.(1999) Interpreting carbon-isotope excursions: carbonates and organic matter , *Chemical Geology* 161, 181-198.
- Le Bas M. J., LeMaitre R. W., Streckeisen A. and Zanettin P. (1986) A chemical classification of volcanic rocks based on the total alkali-silica diagram. *Jour. Petrol.* 27, 745-750
- Leelanandam C., Burke K., Ashwal L.D. and Webb S.J. (2006) Proterozoic mountain building in Peninsular India: an analysis based primarily on alkaline distribution, *Geol. Mag.* 143 (2), 195-212.
- Lev S. M and Filer J. K. (2004) Assessing the impact of black shale processes on REE and the U-Pb isotope system in the southern Appalachian Basin, *Chem. Geol.* 206 , 393-406.
- Lev S. M., McLennan S. M. and Hanson G. N. (1999) Mineralogic controls on REE mobility during black shale diagenesis, *Jour. Sed. Res.* 69, 1071-1082.
- Lichte F. E., Meier A. L., and Crock J. G. (1987) Determination of the rare-earth elements in geological materials by inductively coupled plasma mass spectrometry, *Anal. Chem.* 59, 1150-1157.
- Longerich H. P. Jenner G.A. Fryer B. J. and Jackson S. E. (1990) Inductively coupled plasma-mass spectrometric analysis of geological samples: A critical evaluation based on case studies, *Chemical Geology* 83, 105-118.
- Ludwig K. R. (2003) User's Manual for Isoplot/Ex. 3.00: A Geochronological Toolkit for Microsoft Excel. *Berkeley Geochronology Centre (Special Publication 1a)*, 55 p.
- Luhr J. F. and Halder D. (2006) Barren Island Volcano (NE Indian Ocean): Island-arc high-alumina basalts produced by troctolite contamination, *J. Volcano. Geothermal Res.* 149, 177- 212.
- Mackie W. (1899a) The sands and sandstones of eastern Moray, *Trans. Edinb. Geol. Soc.* 7, 148-172.
- Mackie W. (1899b) The feldspars present in sedimentary rocks as indicators of the conditions of contemporaneous climates, *Trans.Edinb. Geol. Soc.* 7, 443-468

- Maithy P. K. and Babu R. (1988) The mid-Proterozoic Vindhyan macrobiota from Chopan, south-east, Uttar Pradesh, *J. Geol. Soc. India* 31, 584-590.
- Maitra A. K. and De C. (1998) Primitive trace fossils from Vindhyan. *Geol. Surv. India News*, 29, 47-48.
- Mallet F. R. (1869) The Vindhyan Series as exhibited in north-western and central provinces of India, *Mem. Geol. Surv. of India*, 7, (1), 1-129.
- Malone S. J., Meert J. G., Banerjee D. M., Pandit M. K., Tamrat E., Kamenov G. D., Pradhan V. R. and Sohl L. E. (2008) Paleomagnetism and Detrital Zircon Geochronology of the Upper Vindhyan Sequence, Son Valley and Rajasthan, Indian: A ca. 1000 Ma Closure age for the Purana Basins?, *Precam. Res.* 164, 137-159.
- Mathur S. M., Narian K. and Srivastava J. P. (1958) Algal structure from Fawn Limestone, Semri Series (Lower Vindhyan) in the Mirzapur district, *Rec. Geol. Surv. India* 87, 819-822.
- McArthur J. M. (1994) Recent trends in strontium isotope stratigraphy, *Terra Nova* 6, 331-358.
- McCulloch M. T. and Wasserburg G. (1978) Sm-Nd and Rb-Sr chronology of continental crust formation, *Science* 200, 1003-1011.
- McDonough W. F. and Sun S-s. (1995) The composition of the Earth, *Chem. Geol.* 120, 223-253.
- McLennan S. M., Nance W. B. and Taylor S. R. (1980) Rare earth element-thorium correlations in sedimentary rocks, and the composition of the continental crust, *Geochim. Cosmochim. Acta* 44, 1833-1839.
- McLennan S. M. and Hemming S. (1992) Samarium/neodymium elemental and isotopic systematics in sedimentary rocks, *Geochim. Cosmochim. Acta* 56, 887-898.
- McLennan S. M., Bock B., Hemming R., Hurowitz J. A., Lev S. M. and McDaniel D. K. (2003) The roles of provenance and sedimentary processes in the geochemistry of sedimentary rocks. In: Lenz, D.R. (Ed.), *Geochemistry of Sediments and Sedimentary Rocks*, Geological Association of Canada, Newfoundland (Geotext4.), 7-31.
- McLennan S. M., Hemming S., Taylor S. R. and Erikson (1995) Early Proterozoic crustal evolution: Geochemical and Nd-Pb isotopic evidence from metasedimentary rocks southwestern North America, *Geochim. Cosmochim. Acta* 59, 1153-1177.
- McLennan S. M. and Hemming S. (1992) Samarium/neodymium elemental and isotopic systematics in sedimentary rocks, *Geochim. Cosmochim. Acta* 56, 887-898.
- McLennan S. M., Hemming S., McDaniel D. K. and Hanson G. N. (1993) Geochemical approaches to sedimentation, provenance and tectonics, *Geol. Soc. Am. Sp. Paper* 284, 21-40.
- McLennan S. M. (1989) Rare Earth Elements in sedimentary rocks: influence of provenance and sedimentary processes, In: B. R. Lipin and G. A. McKay (eds.), *Geochemistry and mineralogy of rare earth elements, Reviews in Mineralogy* 21, 169-200.
- McElhinny M.W., Cowley J.A. and Edwards D.J. (1978) Paleomagnetism of some rocks from Peninsular India and Kashmir, *Tectonophysics* 50, 41-54.
- Medlicott H. B. (1859) Vindhyan rocks and their associates in Bundelkhand, *Mem. Geol. Surv. India* 2, part 1.
- Meert J.G. and Torsvik T.H. (2003) The making and unmaking of a supercontinent: Rodinia revisited, *Tectonophysics* 375, 261-288

- Michard A., Gurriet P., Soudant M. and Albarede F. (1985) Nd isotopes in French Phanerozoic shales: External and internal aspects of crustal evolution, *Geochim. Cosmochim. Acta* 49, 601-610.
- Milodowski A. E., Zalasiewicz J. A. (1991) The origin and sedimentary, diagenetic and metamorphic evolution of chlorite-mica stacks in Llandovery sediments of central Wales, U.K. *Geol. Mag.*, 128 (3), 263-278
- Miller D. M., Goldstein S. L. and Langmuir C. H. (1994) Cerium/lead and lead isotope ratios in arc magmas and the enrichment of lead in the continents. *Nature* 368, 514-520.
- Miller R. G. and O'Nions R. K. (1984) The provenance and crustal residence ages of British sediments in relation to palaeogeographic reconstructions. *Earth Planet. Sci. Lett.* 68, 459-470.
- Mishra D. C., Singh B., Tiwari V. M., Gupta S. B. and Rao M.B.S.V. (2000) Two cases of continental collisions and related tectonics during the Proterozoic period in India — insights from gravity modeling constrained by seismic and magnetotelluric studies, *Precam. Res.* 99, 149-169.
- Mishra M. and Sen S. (2010) Geochemical signatures of Mesoproterozoic silliciclastic rocks of the Kaimur Group of the Vindhyan Supergroup, Central India, *Chin. J. Geoch.* 29, 21-32.
- Mishra R. C. (1969) The Vindhyan System, Presidential Address 56th Indian science Congress, Kolkata, 1-32.
- Mondal M. E. A., Goswami J. N., Deomurari M. P. and Sharma K. K. (2002) Ion microprobe $^{207}\text{Pb}/^{206}\text{Pb}$ ages of zircons from the Bundelkhand massif, northern India: implications for crustal evolution of the Bundelkhand-Aravalli protocontinent, *Precam. Res.* 117, 85-100.
- Murthy T. V. V. G. R. K. and Mishra S. K. (1981) The Narmada-Son lineament and structure of the Narmada rift system, *Jour. Geol. Soc. India*, 22,112-120.
- Naqvi S. M. and Rogers J. J. W. (1987) *Precambrian Geology of India*. Oxford University Press, Oxford, 223 pp.
- Naqvi S. M., Sawkar R. H., Subbarao D. V., Govil P. K. and Rao T. G. (1988) Geology, geochemistry and tectonic setting of Archean Greywacke from Karnataka nucleus, India, *Precam. Res.* 39, 193-216.
- Narian H. (1987) Geophysical constraints on the evolution of Purana basins of India with special reference to Cuddapah, Godavari and Vindhyan basins, *Mem. Geol. Soc. India* 6, 5-12.
- Nelson B. K. and DePaolo D. J. (1988) Application of Sm-Nd and Rb-Sr isotope systematics to studies of provenance and basin analysis. *Jour. Sed. Petrol.* 58, 348-357.
- Nesbitt H.W. and Young G. M. (1982) early Proterozoic climates and plate motions inferred from major element chemistry of lutites, *Nature* 299, 715-717.
- Nesbitt H.W. and Young G.M. (1984) Prediction of some weathering trends of plutonic and volcanic rocks based on thermodynamic and kinetic considerations, *Geochim. Cosmochim Acta* 48, 1523-1534.
- Ohr M., Halliday A. N. and Peacor D. R. (1994) Mobility and fractionation of rare earth elements in argillaceous sediments: Implications for dating diagenesis and low-grade metamorphism, *Geochim Cosmochim. Acta* 58, 289-312.

- O'Nions R.K., Hamilton P. J. and Hooker P. J. (1983) A Nd isotope investigation of sediments related to crustal development in the British Isles, *Earth Planet. Sci. Lett.* 63, 229-240.
- Oldham T. (1856) Remarks on the classification of the rocks of central India resulting from investigations of Geological Survey, *Jour. Asiatic. Soc. Bengal*, 25,224-256.
- Oldham T. (1893) *Manual of Geology of India*, 2nd edition, Govt. Printing Press, 543p.
- Paikaray S., Banerjee S. and Mukherji S. (2008) Geochemistry of shales from the Paleoproterozoic to Neoproterozoic Vindhyan Supergroup: implications on provenance, tectonics and paleoweathering, *J. Asian Earth Sci.* 32, 34-48.
- Patranabis-Deb, S., Bickford, M.E., Hill, B., Chaudhuri, A.K. and Basu, A. (2007) SHRIMP Ages of Zircon in the Uppermost Tuff in Chattisgarh Basin in Central India Require ~500-Ma Adjustment in Indian Proterozoic Stratigraphy, *J. Geol.* 115, 407-415.
- Popp B. N., Parekh P., Tilbrook B., Bidigare R. R. and Laws E. A. (1997) Organic carbon δ¹³C variations in sedimentary rocks as chemostratigraphic and paleoenvironmental tools, *Palaeogeogr. Palaeoclimat. Palaeoecology* 132, 119-132.
- Prasad B. (1980) Vindhyan stromatolites stratigraphy in SE Rajasthan, *Misc. Pub. Geol. Surv. India* 44,201-206.
- Prasad B. (1981) A review of the Vindhyan Supergroup in southeastern Rajasthan, *Misc. Pub. Geol. Surv. India* 50, 31-40.
- Prasad B. (1984) Geology, sedimentation and paleogeography of the Vindhyan Supergroup, S.W. Rajasthan, *Mem. Geol. Surv. India* 116 (1), 1-107.
- Prasad B. R. and Rao V. V. (2006) Deep seismic reflection study over the Vindhyan Supergroup of Rajasthan: Implications for geophysical setting of the basin, *J. Earth Syst. Sci.* 115 (1),135-147.
- Raczeck L., Jochum K. P. and Hofmann A. W. (2003) Neodymium and Strontium Isotope Data for USGS Reference Materials BCR-1, BCR-2, BHVO-1, BHVO-2, AGV-1, AGV-2, GSP-1, GSP-2 and Eight MPI-DING Reference Glasses, *Geostand. Newsl.* 27(2), 173-179.
- Radhakrishna B. P. and Naqvi S. M. (1986) Precambrian continental crust of India and its evolution, *J. Geology* 94, 145-166.
- Rai V. and Singh V. K. (2004) Discovery of *Obruchevella* Reitlinger, 1948 from the Late Palaeoproterozoic Lower Vindhyan succession and its significance, *Jour. Palaeont. Soc. India*, 49, 189-196.
- Rai V., Shukla M. and Gautam R. (1997) Discovery of carbonaceous megafossils (*Chuaria-Tawvia* assemblage) from the Neoproterozoic Vindhyan succession (Rewa Group), Allahabad-Rewa area, India, *Curr. Sci.* 73, 783-788.
- Ramakrishnan M. and Vaidyanadhan R. (2008) *Geology of India*, Volume 1, Bangalore, India, Geological Society of India, 556 p.
- Rasmussen B., Bose P. K., Sarkar S., Banerjee S., Fletcher I. R., and McNaughton N. J. (2002) 1.6 Ga U-Pb zircon age for the Chorhat Sandstone, lower Vindhyan, India: Possible implications for early evolution of animals, *Geology* 30, 103-106,
- Ray J. S., Davis W. J. and Shukla A. D. (2007) Age of lower Vindhyan of Rajasthan, Presented at *International Conference on Precambrian Sedimentation and Tectonics*, December 10-12, 2007, IIT Bombay, India.

- Ray J. S. (2006) Age of the Vindhyan Supergroup: A review of recent findings. *J. Earth Sys. Sci.* 115(1,) 149-160.
- Ray J. S., Martin M. W., Veizer J., and Bowring S. A. (2002) U-Pb zircon dating and Sr isotope systematics of the Vindhyan Supergroup, India, *Geology* 30, 131-134.
- Ray J. S., Veizer J. and Davis W. J. (2003) C, O, Sr and Pb isotope systematics of carbonate sequences of the Vindhyan Supergroup, India: age, diagenesis, correlations and implications for global events, *Precam. Res.* 132, 103-140.
- Ray R., Shukla A. D., Sheth H. C., Ray J. S., Duraiswami R. A., Vanderkluysen L., Rautela C.S. and Mallik J. (2008) Highly heterogeneous Precambrian basement under the central Deccan Traps, India: Direct evidence from xenoliths in dykes, *Gond. Res.* 13, 375-385.
- Raza M., Jafari S. G., Alvi S. H. and Khan A. (1993) Geodynamic evolution of Indian shield during Proterozoic: Evidence from mafic volcanic rocks, *J. Geol. Soc. India* 41, 455-469.
- Raza M., Casshyap S. M. and Khan A. (2002) Geochemistry of Mesoproterozoic Lower Vindhyan Shales from Chittaurgarh, Rajasthan and its Bearing on Source Rock Composition, Palaeo-weathering Conditions and Tectono-sedimentary Environments, *Jour. Geol. Soc. India*, 60, 505-518.
- Raza M., Dayal A. M., Khan A., Bhardwaj V. R. and Rais S. (2010) Geochemistry of lower Vindhyan clastic sedimentary rocks of Northwestern India shield: Implications for composition and weathering history of Proterozoic continental crust, *J. Asian Earth Sci.* 39, 51-61.
- Raza M., Khan A. and Khan M. S. (2009) Origin of Late Palaeoproterozoic Great Vindhyan basin of North Indian shield: Geochemical evidence from mafic volcanic rocks, *J. Asian Earth Sci.* 34, 716-730.
- Richter F.M., Rowley D.B. and DePaolo D.J. (1992) Sr isotope evolution of seawater: the role of tectonics, *Earth Planet. Sci. Lett.* 109, 11-23.
- Rogers J. J. W. (1986) The Dharwar craton and the assembly of the Peninsular India, *J. Geol.* 94, 145-166.
- Rosenbaum J. and Sheppard S. M. F. (1986) An isotopic study of siderites, dolomites and ankerites at high temperatures, *Geochim. Cosmochim. Acta* 50, 1147-1150
- Roser B. P. and Korsch R. J. (1986) Determination of tectonic settings of sandstone-mudstone suits using SiO₂ content and K₂O/Na₂O ratio. *J. Geol.* 94, 635-650.
- Roy A. and Bandyopadhyay B. K. (1990) Cleavage development in Mahakoshal Group of rocks of Sleemanabad-Sihora area, Jabalpur District, Madhya Pradesh. *Indian Mineral* 44, 111-128.
- Roy A. B. and Jakhar S. R. (2002) *Geology of Rajasthan (Northwest India) Precambrian to recent*, Scientific Publishers (India), Jodhpur, 421p.
- Roy A. B. (1988) Framework of the Aravalli mountain range. In: Roy, A.B. (Ed.), *Precambrian of the Aravalli Mountain Rajasthan, India. Mem. Geol. Soc. India* 7, 3-31.
- Rye R., and Holland H.D. (1998) Paleosols and the evolution of atmospheric oxygen: A critical review, *American Journal of Science* 298, 621-672.
- Sahay A. and Srivastava D. C. (2005) Ductile shearing along the Great Boundary Fault: An example from the Berach river section, Chittaurgarh, Rajasthan, *Curr. Sci.* 88, 557-560.

- Sahni M. R. (1936) *Fermoria minima*: A revised classification of the organic remains from Vindhyan of India, *M. Rec. Geol. Surv. India*, 458-468.
- Sarangi S., Gopalan K. and Kumar S. (2004) Pb-Pb age of earliest megascopic, eukaryotic alga bearing Rhotas Formation, Vindhyan Supergroup, India: implications for Precambrian atmospheric oxygen evolution. *Precam. Res.* 132, 107-121.
- Sarkar A., Chakraborty P.P., Mishra B., Bera M. K., Sanyal P. and Paul S. (2009) Mesoproterozoic sulphidic ocean, delayed oxygenation and evolution of early life: sulphur isotope clues from Indian Proterozoic basins, *Geol. Mag.* 147 (2), 1-13.
- Sarkar G., Barman T.R. and Corfu F. (1989) Timing of Continental Arc-Type Magmatism In Northwest India; Evidence from U-Pb Zircon Geochronology, *J. Geol.* 97, 607-612.
- Sarkar S., Banerjee S. and Bose P. K. (1996) Trace fossils in the Mesoproterozoic Koldaha Shale, central India and their implications, *N. Jb. Geol. Paleont. Mh.* 7, 425-436.
- Sarkar S., Chakraborty P.P., Bhattacharya, S.K. and Banerjee S. (1998) C¹² enrichment along intraformational unconformities within Proterozoic Bhander limestone, Son valley, India and its implication. *Carbonates and Evaporites* 13, 108-114.
- Sastray M. V. A. and Moitra A. K. (1984) Vindhyan Stratigraphy-A review, *Mem. Geol. Surv. India* 116(2), 109-148.
- Schieber J. (1992) A combined petrographical-geochemical provenance study of the Newland formation, Mid-Proterozoic of Montana, *Geological Magazine* 129, 223-237.
- Schopf J. W. and Klein C. (1992) *The Proterozoic Biosphere - A Multidisciplinary Study*. Cambridge University Press, 1348p.
- Seilacher A., Bose P.K., and Pfluger F., (1998) Triploblastic animals more than 1 Billion years ago: trace fossil evidence from India, *Science* 282, 80-83.
- Sharma M. (1996) Microbiolites (stromatolites) from the Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar: their systematics and significance, *Geol. Soc. India, Mem.* 36, 167-196.
- Sharma M. (2006) Paleobiology of Mesoproterozoic Salkhan Limestone, Semri group, Rohtas, Bihar, India, Synthesis and significance, *J. Earth Syst. Sci.* 115 (1), 67-98.
- Shield G. and Veizer J. (2002) Precambrian marine carbonate isotope database version 1.1, G³, doi: 10.1029/2001GC/000266.
- Sinha-Roy S., Malhotra G. and Mohanty M. (1998) *Geology of Rajasthan*, Geological Society of India, Bangalore, 278p.
- Sinha-Roy S. and Mohanti M. (1988) Blue schist facies metamorphism in ophiolitic mélange of the late Proterozoic Delhi belt, Rajasthan, India, *Precam. Res.* 42, 97-105.
- Sinha-Roy S., Kirmani I. R., Reddy B. V. R., Sahu R. L. And Patel S. N. (1986) Fold pattern in the Vindhyan sequence in relation to the Great Boundary Fault: Example from Chittaurgarh area, Rajasthan, *Quart. Jour. Geol. Min. Metal. Soc. India* 558(4), 241-251.
- Sircombe K.N. (2004) Age Display: an EXCEL workbook to evaluate and display univariate geochronological data using binned frequency histograms and probability density distributions, *Comp. & Geosci.* 30, 21-31.
- Soni M. K., Chakraborty S. and Jain V. K. (1987) Vindhyan Super Group- A Review, *Mem. Geol. Soc. India* 6, 87-138.
- Sorby, H.C., 1880. On the structure and origin of non-calcareous stratified rocks. *Proc. Geol. Soc. Lond.* 36, 46- 92.

- Srivastava A. K. and Rajgopalan G. (1986) F-T Dating of Precambrian deposits of Vindhyan Group at Chitrakut, Banda district (U.P.-M.P.), In K. K. Sharma (ed.) *Nuclear Tracks*, 41-52.
- Srivastava D. C. and Sahay A. (2003) Brittle tectonics and pore-fluid conditions in the evolution of the Great Boundary Fault around Chittaurgarh, Northwestern India. *Struc. Geol.* 25, 1713-1733.
- Srivastava, P. (2002) Carbonaceous megafossils from the Dholpura Shale, Uppermost Vindhyan Supergroup, Rajasthan: An age implication, *J. Palaeontol. Soc. India* 47, 97-105.
- Srivastava P. (2009) *Trachyhystrichoshaera*: An age-marker acanthomorph from the Bhander group, upper Vindhyan, Rajasthan, *J. Earth Sys. Sci.* 118, 575-582.
- Srivastava H. B. and Gyanchand (1984) Geological and sedimentalological studies of rocks, south of Chittaurgarh, Rajasthan, *Rec. Geol. Surv. India* 114(2), 1-14.
- Stern R. A. (1997) The GSC Sensitive High Resolution Ion Microprobe (SHRIMP): analytical techniques of zircon U-Th-Pb age determinations and performance evaluation. In: Age and Isotopic Studies: Report 10. *Geol. Surv. Canada (Current Research 1997-F)*, 1-31.
- Stern R. A. and Amelin Y. (2003) Assessment of errors in SIMS zircon U-Pb geochronology using a natural zircon standard and NIST SRM 610 glass, *Chem. Geol.* 197 (1-4), 111-146.
- Strauss H. (1997) The isotopic composition of sedimentary sulfur through time. *Paleo. Paleo.* 132, 97-118.
- Sudgen T. J., Deb M. and Windley B. E. (1990) Tectonic setting of mineralization in the Proterozoic Aravalli-Delhi orogenic belt, NW India, In : *Developments in Precambrian Geology*, 8, Elsevier, Amsterdam, 367-390.
- Tanaka T., Togashi S., Kamioka H., Amakawa H., Kagami H., Hamamoto T., Yuhara M., Orihashi Y., Yoneda S., Shimizu H., Kunimaru T., Takahashi K., Yanagi T., Nakano T., Fujimaki H., Shinjo R., Asahara Y., Tanimizu M., Dragusanu C. (2000) JNd1-1: a neodymium isotopic reference in consistency with La Jolla neodymium, *Chem. Geol.* 168, 279-281.
- Tandon S. K., Pant C. C. and Casshyap S.M. (1991) *Sedimentary basins of India – Tectonic context*. Gyanodaya Prakashan, Nainital.
- Taylor S. R. and McLennan S. M. (1985) *The Continental Crust: its Composition and Evolution*. Blackwell scientific publications, 312 pp.
- Tewari A. P. (1968) A new concept of paleotectonic setup of a part of a part of northern peninsular India with special reference to the great boundary faults. *Geol. Mijnbouw* 47, 21-27.
- Thurach H. (1884) U⁺ ber das Vorkommen mikroskopischer Zirkone und Titanmineralien in den, *Gesteinen. Verh. Phys. Med. Ges. Wurzbrg.* 18, 203- 284.
- Tucker M., Wright V. P. and Dickson J. A. D. (1990) *Carbonate Sedimentology*, Wiley Blackewell, 482p
- Turner C. C., Meert J. G., Kamenov G.D., and Pandit M.K.(2010) A Detrital zircon transect across the Son Valley sector of the Vindhyan Basin, India: Further constraints on Basin Evolution *Geological Society of America Abstracts with Programs*, 42, # 5, p. 195.

- Valdiya K. S. (1969) Stromatolites of Lesser Himalayan carbonate formations and Vindhyan, *J. Geol. Soc. India* 10, 1-25.
- Veizer J., Ala D., Azmy K., Bruckschen P., Buhl D., Bruhn F., Carden G.A.F., Diener A., Ebner S., Godderis Y., Jasper T., Korte C., Pawellek F., Podlaha O.G. and Strauss H. (1999) $^{87}\text{Sr}/^{86}\text{Sr}$, $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ evolution of Phanerozoic seawater, *Chem. Geol.* 161, 59-88.
- Veizer J., Holser W. T. and Wilgus C. K. (1980) Correlation of $^{13}\text{C}/^{12}\text{C}$ and $^{34}\text{S}/^{32}\text{S}$ secular variations. *Geochim. Cosmochim. Acta* 44, 579-587.
- Venkatachala B. S., Sharma M., Shukla M. (1996) Age and life of the Vindhyan-facts and conjecture. In: Bhattacharyya, A. (Ed.), *Recent Advances in Vindhyan Geology*, Mem. Geol. So. India 36, 137-165.
- Verma P. K. (1996) Evolution and Age of the Great Boundary fault of Rajasthan, *Mem. Geol. Soc. India*, 36, 197-212.
- Verma, P. K. and Greiling, R. O. (1995) Tectonic evolution of the Aravalli orogen (NW India): an inverted Proterozoic rift basin? *Geol Rundsch.* 84, 683-696.
- Verma R. K (1991) *Geodynamics of the Indian Peninsula and the Indian Plate Margin*, Oxford and IBH, 357p.
- Vinogradov A., Tugarinov A., Zhykov C., Stapnikova N., Bibikova E., and Khorre K. (1964) Geochronology of Indian Precambrian: New Delhi, *International Geological Congress*, 10, 553-567.
- Vredenburg E. (1906) Suggestions for a classification of the Vindhyan system, *Rec. Geol. Surv. India* 23, 254-260.
- Wang Y. L., Liu Y. G. and Schmitt R. A. (1986) Rare earth element geochemistry of south Atlantic deep sea sediments: Ce anomaly change at -54 My, *Geochim. Cosmochim. Acta* 50, 1337-1355.
- Weltje G. J and Eynatten H. V. (2004) Quantitative provenance analysis of sediments: review and outlook, *Sed. Geol.* 171, 1-11.
- Weidenbeck M., Goswami J.N. and Roy A.B. (1996) Stabilization of the Aravalli craton of the northwestern India at 2.5 Ga, an ion microprobe zircon study, *Chem. Geol.* 129, 325-340.
- Winter J. D. (2001) *An Introduction to Igneous and Metamorphic Petrology*, Prentice Hall, New Jersey, USA, 697p.
- Wronkiewicz D. J. and Condé K. C. (1987) Geochemistry of archean shales from the Witwatersrand supergroup, South Africa: source-area weathering and provenance, *Geochim. Cosmochim. Acta* 51, 2401-2416.
- Yedekar D. B., Jain S. C., Nair K. K. K. and Dutta K. K. (1990) The Central Indian collision suture, *Spec. Pub. Geol. Surv. India* 28, 1-43.
- Yin L. M., Zhu M. Y., Knoll A. H., Yuan X.L., Zhang J.M. and Hu J. (2007) Doushantuo embryos preserved inside diapauses egg cysts, *Nature* 446, 661-663.