Component Specific Luminescence of Natural Minerals and their Application to the Dosimetry of Natural Radiation Environment

A THESIS

Submitted for the Award of Ph. D degree of

MOHANLAL SUKHADIA UNIVERSITY

in the

Faculty of Science

by

Madhav Krishna Murari



Under the Supervision of

K. P. Subramanian, Associate Professor, Physical Research Laboratory, Ahmedabad

DEPARTMENT OF PHYSICS FACULTY OF SCIENCE

MOHANLAL SUKHADIA UNIVERSITY

UDAIPUR

Year of submission: 2008

Contents

List of Figures	iv
List of Tables	vii
Chapter 1 Introduction 1.1 Motivation and background 1.2 Scope of the thesis 1.2.1 Retrieval of component from OSL with poor SNR 1.2.2 Study of partially bleached sediments 1.2.3 Isolation of quartz signal from feldspar contaminate sample 1.2.4 Components of quartz of different origin 1.3 Organization of thesis References	1 1 3 4 4 d 5 5 6 7
Chapter 2 Luminescence Principle and Dosimetry 2.1 Introduction 2.2 Luminescence basics 2.3 Theoretical aspects of luminescence: Energy band model 2.4 TL phenomenon 2.5 OSL phenomenon 2.6 OSL models 2.7 OSL dosimetry 2.7.1 Natural OSL dosimeter: Quartz and feldspar 2.7.2 Stimulation and emission of quartz 2.7.3 Resetting of the OSL signal 2.7.4 Age determination References	9 9 10 14 18 19 24 27 29 33 34
Chapter 3 Instrumentation and Experimental Protocols 3.1 Introduction 3.2 TL/OSL Measurement 3.2.1 Luminescence detection system 3.2.2 Stimulation sources 3.2.3 Irradiation source 3.3 Illumination and irradiation cross-talk 3.3.1 Irradiation cross talk 3.3.2 Illumination cross talk 3.4 Dose rate Measurement 3.4.1 Thick source α counting: U and Th concentration 3.4.2 Gamma spectrometry: K-40 concentration 3.4.3 Cosmic ray contribution 3.5 Evaluation of equivalent dose: De 3.5.1 Single Aliquot Regenerative method: SAR	38 38 40 42 43 44 45 46 49 50 51 51 52

	3.5.2 Natural Correction Factor-SAR: (NCF-SAR) 3.5.3 Component Specific Dose -SAR: (CSD-SAR)	53 53
	3.6 Sample preparation3.7 Evaluation of errors in dose estimationReferences	55 57 59
Chapter 4	Numerical Analysis of OSL	62
	4.1 Introduction	62
	4.2 Non-Linear fitting: Levenberg Marquardt method4.3 Initial guess for Lev-Marq algorithm	63 65
	4.4 Quality of fitting and validation of component	69
	4.4.1 Sensitivity of model parameters: A comparative study	69
	4.4.2 Analysis of residuals: Auto correlation	72
	4.4.3 Chi-Square test	75
	4.4.4 F-test	77
	4.5 Error estimation of model parameters	77
	4.6 Generation of growth curve for OSL component4.7 Check list for isolation of OSL components	80 81
	Reference	83
Chapter 5	Component Specific Study: Dating Perspective	84
	5.1 Introduction	84
	5.2 Review of earlier work	85
	5.3 Relevance of OSL model parameters	86 87
	5.4 Dependence of OSL parameters on dose and stimulation power 5.5 Numerical experiments on synthetic OSL profiles	88
	5.5.1 Generation of synthetic OSL profile	88
	5.5.2 Observations on synthetic OSL profiles	90
	5.6 Observations on dose retrieved from different components	93
	5.7 Quantifying interference of components	95
	5.8 Case studies	102
	5.8.1 Paleodose of partially bleached sediment: Tsunan	
	sediment 5.8.2 Study of components of quartz from different sites	102 108
	5.8.3 Component study of feldspar contaminated quartz	111
	5.9 Conclusions	113
	References	114
Chapter 6	Summary and future outlook	117
	6.1 Summary	117
	6.2 Future outlook	119
Appendix		122
	Nonlinear least squares fit	122
	Principle of maximum likelihood	122
	Taylor method Gradient method	124 127
	References	129